



# 2025

## Poolstar Pool Products



Devoting To Have The Innovation Of Pool Products  
And To Make People Have The Better Life



### Ningbo Poolstar Pool Products Co., Ltd.

Add: No. 727-1, Jinshan road, Ningbo City, China ( 315033 )

Tel: +86-574-5680 8878

youtube: @poolstar0574

Email: [INFO@CNPOOLSTAR.COM](mailto:INFO@CNPOOLSTAR.COM)

Web: [www.cnpoolstar.com](http://www.cnpoolstar.com)







# ABOUT US


Ningbo Poolstar Pool Products established in 2008 in Ningbo city, China. We are a growing up and innovative style company to swimming pool and spa market.

We design and manufacture pool cleaning products and related products besides the pool and SPA to different buyers worldwide, including pool vacuum cleaners, cleaning accessories, solar products, cover reels, ladders etc...


Over the past more than 10 years, when people pursues higher relaxation and leisure lifestyle, Poolstar products becomes fashion leader in the market, especially in the pool cleaners, like AQUAJACK. Poolstar products are designed by our specialist teams in China and produced under the strict and careful supervision of our quality control teams. We do OEM services and private label production, we are flexible by different business cooperation way.

Honest, Profession, Innovation and Development is Poolstar commitment to all people and our business culture.






# POOLSTAR CULTURE




# COMPANY MILESTONE





# BRAND VALUE



CE


ICE



GB



RoHS Compliant



Design Patent




Utility Patent



Invention Patent



ISO 14001



# CONTENTS

◆ POOL CLEANER	01-06
◆ CLEANING ACCESSORIES	07-20
◆ SOLAR ENERGY PRODUCTS	21-25
◆ POOL WHITE PRODUCTS	26-28
◆ POOL PUMP AND FILTERS	29-32
◆ POOL LIGHTS	33-34
◆ POOL LADDER	35-36
◆ WINTER PRODUCTS	37
◆ PACKING DEFINITIONS	38
◆ POOL LEISURE	39-40





# Robotic Pool Cleaner

## ► P2901 AquaJack 900 New

Solar powered robotic pool skimmer to collect and clean various floating debris onto the pool surface



### Product Feature

- With a technology sonar into, it could evaluate the working routine;
- With added suction power into, it could speed up the working performance, not floating onto the pool only;
- With a big solar panel onto the surface, it works till 20 hours per working way;
- By advanced brushless motor into
- Filter capacity : 4.5L
- Double filter system: 70u + 150u



Rechargeable  
Cordless



Working time  
20hours



Battery  
7.4V/5000mAh



Power rating  
8W



Charging time  
5 hours

## ► P1180 AquaJack 800 New

Cordless robotic pool cleaner climbing the wall, cleaning the floor and waterline



### Product Feature

- With a technology sonar into, it could evaluate the working routine;
- Adjustable by 3 working methods to run differently : waterline cleaning - wall cleaning - floor cleaning
- A unique battery cabine design, it lasts to work till 2 hours + 2 hours.
- Filter capacity: 4L
- Double filter system: 70u + 150u
- Updating the program: by bluetooth



Rechargeable  
Cordless



Working time  
2 hours+2 hours



Battery  
22.2V/4400mAh



Power rating  
50W



Charging time  
2 hours



Wall-climbing  
Function

## ► P1175 AquaJack 075 New

Pool Vacuum Cleaner for aboveground pools



### Product Feature

- Power rating: 22.2W
- Suction power: 45L/min
- Battery parameter: 7.4V,3000mAh
- Battery type: Lithium battery
- Working time: 45 min
- Charging time: 2 hours
- Filter capacity: 2L
- Double filter system



Rechargeable  
Cordless



Working time  
45 mins



Battery  
7.4V/3000mAh



Power rating  
22.2W



Charging time  
2 hours



Cleaning Surface  
40m²

## ► P1170 AquaJack 700

Pool Vacuum cleaner for inground swimming pools



Filter cartridge (incl.)

### Product Feature

- Fashion robot design.
- With rechargeable lithium battery into.
- Universal wheels, moving freely.
- Efficient suction power, quickly cleaning the moving areas.
- Bigger rubbish capacity 3.0L, with fine metal micros.
- Stop at the edge of the pools while no battery.



Rechargeable  
Cordless



Working time  
120mins



Battery  
7.4V/13000mAh



Power rating  
51W



Charging time  
6 hours



Cleaning Surface  
120m²



Climb slope  
15°

## ► P1165 AquaJack 650

Pool Vacuum cleaner for aboveground pools and small inground pools



Filter cartridge (incl.)

### Product Feature

- Fashion robot design.
- With rechargeable lithium battery into.
- Universal wheels, moving freely.
- Efficient suction power, quickly cleaning the moving areas.
- Bigger rubbish capacity 2.5L, with fine metal micros.
- Stop at the edge of the pools while no battery.
- Stop working when the machine out of water.




Rechargeable  
Cordless



Working time  
75mins



Battery  
7.4V/5200mAh



Power rating  
27W



Charging time  
5 hours



Cleaning Surface  
80m²



Climb slope  
15°

## ► P1160 AquaJack 600

Pool Vacuum Cleaner for aboveground pools



### Product Feature

- Fashion robot design
- With rechargeable lithium battery into
- Universal wheels, moving freely
- Efficient suction power, quickly cleaning the moving areas
- Bigger rubbish capacity 2L, with fine metal micros
- Stop at the edge of the pools while no battery
- Stop working when the machine out of water.



Rechargeable  
Cordless



Working time  
60mins



Battery  
7.4V/4000mAh



Power rating  
27W



Charging time  
3-4 hours



Cleaning Surface  
50m²



Climb slope  
15°

# Cordless Handheld Pool Vacuum

- Catching leaves,stones, tree seed, hairs, sands, debris, to clean the pool and spa
- Energy saving when working
- Easy to install, no tools needed

## ► P1111 AquaJack 211



### Product Feature

- Water depth 0.3~3m
- Suction power 37L/min
- Working time 60mins
- Charging time 2-3 hours
- Filter capacity 1.5L
- Power rating 24W
- Battery parameter 11.1V/2000mAh
- Battery type Lithium battery
- Vacuum head 20cm

## ► P1113 AquaJack 121



### Product Feature

- Water depth 0.3~3m
- Suction power 17L/min
- Working time 45mins
- Charging time 2-3 hours
- Filter capacity 0.8L
- Power rating 10W
- Battery parameter 9.6V/1400mAh
- Battery type Ni-MH battery
- Vacuum head 9cm

## ► P1121 AquaJack 221



### Product Feature

- Water depth 0.4~3m
- Suction power 40L/min(Basic) 70L/min(Max)
- Working time 60mins(Basic) 45mins(Max)
- Charging time 3-4hours
- Filter capacity 3L
- Power rating 14.8W(Basic) 18W(Max)
- Battery parameter 7.4V/2000mAh
- Battery type Lithium battery
- Vacuum head 30cm

## ► P1122 AquaJack 222



### Product Feature

- Water depth 0.4~3m
- Suction power 40L/min
- Working time 60mins
- Charging time 3-4hours
- Filter capacity 1.0L
- Power rating 14.8W
- Battery parameter 7.4V/2000mAh
- Battery type Lithium battery
- Vacuum head 17.5cm

## ► P1123 AquaJack 223



### Product Feature

- Water depth 0.4~3m
- Suction power 25L/min
- Working time 30mins
- Charging time 5hours
- Filter capacity 0.5L
- Power rating 10W
- Battery parameter 3.7V/2000mAh
- Battery type Lithium battery
- Vacuum head 17.5cm/5.5cm

## ► P1126 AquaJack 311



### Product Feature

- Water depth 0.5~3m
- Suction power 70L/min(Basic) 120L/min(Max)
- Working time 90mins(Basic) 60mins(Max)
- Charging time 3-4 hours
- Filter capacity 3L
- Power rating 14.5W(Basic) 22W(Max)
- Battery parameter 11.1V/2000mAh
- Battery type Lithium battery
- Vacuum head 30cm

## ► P1130 AquaJack 500



### Product Feature

- Water depth 0.5~3m
- Suction power 120L/min
- Working time 60mins
- Charging time 3-4 hours
- Filter capacity 3L
- Power rating 22W
- Battery parameter 11.1V/2000mAh
- Battery type Lithium battery
- Vacuum head 30cm

## ► P1155 New



### Product Feature

- A large filter bag into
  - A see through body to see his working
  - Good for leaf catching during the summer
- Water depth 40 - 300cm
  - Suction power 90L/M
  - Working time 75mins
  - Charging time 4-5 hours
  - Filter capacity 10L
  - Power rating 22W
  - Battery parameter 11.1V/2600mAh

## ► P1156 New



### Product Feature

- A large filter bag into
  - A see through body to see his working
  - Super suction power
  - Multi function for the machine: floor cleaning - surface cleaning - sun deck / shallow water cleaning
- Water depth 15 - 300cm
  - Suction power 120L/M
  - Working time 60mins
  - Charging time 4-5 hours
  - Filter capacity 10L
  - Power rating 33W
  - Battery parameter 11.1V/3000mAh

## P1117/22 Elek SPA 51

Water depth: 0.35m~3m  
Suction power: 17L/min  
Working time: 60mins  
Filter capacity: 0.65L  
Power rating: 10W  
Battery parameter: 1.5\*8(Not included)  
Battery type: AA battery  
Vacuum head: 11cm

## P1127 Elek SPA 65

Water depth: 0.45m~3m  
Suction power: 17L/min  
Working time: 60mins  
Charging time: 5 hours  
Filter capacity: 0.14L  
Power rating: 9W  
Battery parameter: 3.7V/2000mAh  
Battery type: Lithium battery  
Vacuum head: 16.8cm/9cm

## P1128 Elek SPA 66

Water depth: 0.45~3M  
Suction power: 25L/min  
Working time: 50mins  
Charging time: 5 hours  
Filter capacity: 0.27L  
Power rating: 9W  
Battery parameter: 3.7V/2000mAh  
Battery type: Lithium battery  
Vacuum head: 16.8/9cm

## P1106

A Manual Vacuum Cleaner For Setup Pools And Spas  
Size: L150-198cm

## P1114

A Vacuum Cleaner For Setup Pools And Spas, Shipping With 5m Hoses And 1.65m Telescopic Poles  
Size:13\*10\*88cm, Total184cm



# Automatic Pool Cleaner

Automatic Pool Vacuum Cleaner

## ► P1803 Tracy L2



- Water depth 0.3~3m
- Valve Structure diaphragm structure
- Starting Power Of Water Pump 0.06hp~0.75hp
- Length Of The Hose 7.5m(10pcsx75cm/pc)
- Pool Type Above ground

## ► P1805 Inspiring



- Water depth 1.8m
- Valve Structure diaphragm structure
- Starting Power Of Water Pump 0.5hp~1.5hp
- Length Of The Hose 9.6m(12pcs x 80cm/pc)
- Pool Type In /Above ground

## ► P1806 Inspiration



- Water depth 3m
- Valve Structure diaphragm structure
- Starting Power Of Water Pump 0.5hp~2.0ph
- Length Of The Hose 10.0m(10pcsx100cm/pc)
- Pool Type In /Above ground

## ► P1808 Inspiring



- Water depth 3m
- Valve Structure diaphragm structure
- Starting Power Of Water Pump 0.5hp~2.0ph
- Length Of The Hose 10.0m(10pcsx100cm/pc)
- Pool Type In /Above ground

Shipping with

PATENT

IPX8

### ► P1150

large Leaf Canister With Basket For Filter 1.5l  
Materials:ABS+PE

### ► P1151

large Leaf Canister With Basket For Filter 1.5l  
Materials:ABS+PE





# POOL CLEANER SPARE PARTS



**P2235**

Cleaner Bag Suitable To Polaris  
Cleaner 360/380

Material: ABS  
Net bag: Polyester fiber  
Size:230\*350mm



**P2237**

Cleaner Bag Suitable To Polaris  
Cleaner 280/480

Material: ABS  
Net bag: Polyester fiber  
Size:300\*300mm



**P2236**

Cleaner Bag Suitable To Polaris  
Cleaner 180

Material: PVC  
Net bag: Polyester fiber  
Size:220\*380mm



**P2245**

Cleaner Hose Connector For  
Barracuda Cleaner

Material: LDPE  
Size:D48\*24.5mm



**P2226**

1"1/2by 45° Male/Female Connector

Material: PVC  
Size: 91\*62\*47mm



**P1801-2**

Footpad

Material: PVC  
OD:150mm, ID:75mm,  
H:12.9mm



**P1805-2-1**

Footpad

Material: PVC  
Size: 141\*136\*39mm,ID97mm



**P1805-2-3**

Diaphragm

Material: TPU70  
Size: D4.4\*14.8mm



**P1801-1**

MAT


Material: PUR  
Size: OD420.7\*9.6mm,  
ID111mm



**P1805-1**

MAT

Maerial:TPU  
Size: OD469.5\*26mm,  
ID108mm



**P1806-1**

MAT

Material:TPU  
Size:OD455.3\*30.5mm,  
ID108.5mm



**P2225-1**

1m Hose Suitable For Barracuda  
Cleaner

Material: EVA+LDPE  
Size: ID:38mm, OD:46.5mm  
Length:1000mm



**P2201**

Set of 3 Replacement Short Brushes

Brush strip: PE, Flocking:PP  
Size: 220\*7.7\*37.8mm



**P2202**

Set of 3 Replacement Short Brushes

Brush strip: PE, Flocking:PP  
Size: 81.8\*8.2\*28mm



**P2203**

Standard Vacuum Handle

Handle:ABS,Clips:POM  
Size: 143.2\*53\*28.8mm



**P2204**

Vacuum Head Handle with EZ-Clip

Handle:ABS,Clips:POM  
Size: 173\*53\*28.3mm



**P2205**

Australian Standard Vacuum Head Handle

Handle:ABS,Clips:POM  
Size: 134\*55\*40mm



**P2207**

Set of 3 Lock Pins

Material: POM  
Size: Length:53mm



**P2208**

Quick Snap Butterfly Clips(3pcs)

Material: POM  
Size: 50\*46\*8mm



**P2209**

Long Lock Pin(3pcs)


Material: POM  
Size: L: 53mm



**P2210**

Set of 3 Replacement EZ-Clip

Material: POM  
Size: L: 48mm



**P2211**

Wishbone clip(1pc)

Material: POM  
Size: 138\*55\*9.6mm



**P2212**

Set of 4 PVC Wheels with Locks&Pins

Material: PVC+POM  
Size: Dia:32mm



**P2213**

Cuff For Vacuum Hose

Material:PE  
Dia:55mm,Height:100mm



**P2214**

Hose Connector For Jet Vac Red Main


Material: ABS  
Dia:35mm,Height:57mm



**P2215**

Stainless Steel Hose Clamp 1-1/4-2(1pc)

Material: SS 202  
Size: 57\*50.5\*12mm



**P2216**

Hose Connector 1-1/4x1-1/2(32x38)

Material:PE  
L: 205.4mm, Max Dia: 38mm



**P2256**

Hose Connector 1-1/4x1-1/2(32x38)

Material:PP  
Length:120mm,Max Dia: 38mm



**P2228**

Pressure Gauge Side Mount

Main Material: Joint:CU  
Watch case:Fe  
Size:74\*54\*27mm



**P2229**

Pressure Gauge Back Mount,Us Standard

Main Material: Joint:CU  
Watch case:ABS  
Size: 54\*54\*45mm



**P2253**

Pressure Gauge Side Mount(Oil Seal)

Material: Joint: CU  
Watch case: stainless steel  
Size: D57.5\*77mm(L)\*29.3mm(W)



**P2254**

Pressure Gauge Back Mount(Oil Seal)

Material: Joint: CU  
Watch case: stainless steel  
Size: D57.5\*53mm(L)



**P2224**

T-Shape Regulator Valve


Material: ABS  
Size: 122\*67\*106mm



**P3240**

Winter Cap

Material:ABS  
Size: D38mm



**P1985**

Foot Bath

Material: PP  
Size:55.4\*39\*9cm



**P3302**

Pool Tool Holder

Material: Aluminum+PVC+nylon  
Size: 56\*4.5\*10.5cm







# VACUUM HEADS



**P1001**

Australian handle available

Deluxe Weighted Liner Vac Head W/Bumper

Materials:ABS  
Size:28.2\*23.5\*9.2cm



**P1002**

Australian handle available

Deluxe Triangular Transparent Cast Iron Weighted Vac Head W/Swivel Cuff

Materials:ABS  
Size:28.5\*29\*10.5cm



**P1003**

Australian handle available

Triangular Liner Vac Head W/ Swivel Cuff

Materials:ABS  
Size:28.5\*26.5\*11cm



**P1004**

Australian handle available

Economy Liner Vac Head

Materials:ABS  
Size:25.5\*22.6\*11.5cm



**P1020/14"**

14" Aluminium Professional Vac Head

Materials:AL+ABS  
Size:34.5\*27\*9.3cm



**P1020/18"**

18" Aluminium Professional Vac Head

Materials:AL+ABS  
Size:45\*27\*9.3cm



**P1024**

14" Flexible Vacuum Head w/metal Handle

Materials:EVA  
Size:34.5\*29.5\*10.5cm



**P1027**

Deluxe Super Weighted Vac Head With Bearing Wheels, And Alu. Handle

Materials:EVA  
Size:47.7\*29.5\*11.5cm



**P1005**

Australian handle available

Large Cast Iron Weighted Vac Head

Materials:ABS  
Size:28.2\*23.5\*9.2cm



**P1006**

Australian handle available

Large Weighted Vac Head W/ Side Brushes

Materials:ABS  
Size:35\*26\*9cm



**P1007**

Australian handle available

Flexible Vac Head For In-Ground Pool (Blue)

Materials:LDPE  
Size:35.7\*25.8\*6cm



**P1008**

Australian handle available

Flexible Vac Head W/Side Brush For IG Pool (Blue)

Materials:LDPE  
Size:39.6\*25.2\*6.5cm



**P1102**

Australian handle available

Economy Jet Vacuum

Materials:ABS+Nylon  
Size:25.8\*11\*24.7cm



**P1103**

Australian handle available

Jet Vac Kit With Brush For Spa&Splasher

Materials:ABS+Nylon  
Size:12.8\*13.7\*24.7cm



**P1009**

Australian handle available

Flexible Vac Head W/Swivel&Ez-Clip

Materials: EVA  
Size:34.4\*30\*8cm



**P1010**

Australian handle available

Vacuum Head With Air Relief Valve

Materials:ABS  
Size:34\*25\*10cm



**P1016**

Australian handle available

14" heavy weighted flexible vacuum head with bearing wheels and metal handle

Materials:LDPE+ABS  
Size:48.2\*25.5\*6.1cm



**P1101**

Australian handle available

Jet Vac Kit with 5 Section Pole of 48"/120cm

Materials:ABS+PP+AL+POM  
Size:21.7\*13.7\*120cm




**P1110**

Australian handle available

Leaf Eater With Bag,Brush and Wheel

Materials:ABS  
Size:45\*36.5\*14cm







# LEAF RAKE



**P1201**

Economy Deep Bag Rake  
Materials:PE+PE net  
Size:43.5\*29.2\*38.5cm



**P1202**

Heavy Duty Plastic Leaf Rake With  
Long Wearing Screen Mesh  
Materials:PP+Nylon net  
Size:51\*41.5\*36.6cm



**P1203**

Aluminium Frame Deep Rake  
Bule Anodized Handle  
Materials:Alu +PE net  
Size:44.8\*35\*36.7cm



**P1204**

Professional Heavy Duty Deep  
Rake With Aluminum Frame  
Materials:Alu+Nylon net  
Size:46\*46\*47.9cm



**P1304**

Standard Leaf Skimmer Australian  
Handle Available  
Materials:Alu + Nylon net  
Size:55.2\*36\*4cm



**P1305**

Leaf Skimmer With 3 Sections Telescopic  
Poles, Total 121cm For The Poles  
Materials:PE+AL+PE net  
Size:Φ 3.2\*118cm, 1pcs



**P1306**

Leaf Skimmer With 48"/122cm  
Aluminium Pole  
Materials:AL+PE+PE net  
Size:Φ 1.5\*122cm, 1pcs



**P1218**

Pool and Spa skimmer  
Materials:ABS+TPE  
Size:31.5\*13\*4.5cm



**P1208**

Professional Leaf Rake With Nylon  
Net And Alu. Handle. A Rubbish Deck  
To Be Easy To Pick Up The Rubbish  
Materials:ABS+Nylon net  
Size:50\*48.2\*48.5cm



**P1209**

Deep Rake With Replaceable Mesh,  
Magnet And EZ Clip Australian  
Handle Available  
Materials:ABS+ Nylon net  
Size:49\*43.5\*49cm



**P1213**

Aluminium Reinforced Leaf Rake  
Materials:ABS+AL+PE+PE net  
Size:45.5\*37.6\*42.9cm



**P1321**

Hot tub skimmer with a pole,  
total 66cm  
Materials:PE+AL net  
Size:39\*29\*61CM



**P1307**

Leaf Skimmer W/5 Sections  
Pole Of 48"/122cm  
Materials:ABS+AL+PE+PE net  
Size: Φ 2\*25.5cm, 5pcs



**P1308**

Leaf Skimmer With 60"/150cm  
Aluminium Pole  
Materials:AL+PE+PE net  
Size: Φ 2\*152cm, 1pcs



**P1318**

Leaf Skimmer With 3 Sections  
Aluminium Pole\* 50cm/Pc  
Materials:AL+PE+PE net  
Size: Φ 3\*50cm, 3pcs



**P1874**

Economic leaf rake with alu pole 120cm  
Materials:Alu+PE+PP+PA+POM  
Size:Φ 3.2\*120cm



**P1301**

Standard Leaf Skimmer (Blue)  
Materials:PE+PE net  
Size:44.5\*30.5\*2.8cm



**P1302**

Heavy Duty Plastic Leaf Rake  
With Long Wearing Screen Mesh  
Materials:PP+Nylon net  
Size:54.5\*41\*4.55cm



**P1303**

Aluminium Frame Deep  
Rake Blue Anodized Handle  
Materials:Alu +PE net  
Size:56.4\*36\*3cm







# BRUSHES



**P1401**

18"/45cm Standard Curved Wall Brush

Materials:ABS+PP  
Size:45\*16.2\*4.9cm



**P1402**

18"/45cm Deluxe Wall Brush W/Polished Alu Back

Materials:AL+PP  
Size:45.1\*16.7\*5.1cm



**P1402/SS**

18"/45cm Deluxe Wall Brush With SS Bristle

Materials:AL+SS+PP  
Size:45.1\*16.7\*5.1cm



**P1403**

20"Oversized Poly Bristle Wall Brush W/Ez-Clip

Materials:ABS+PP  
Size:49.6\*20.8\*5cm



**P1407/SS**

5.5"/14cm wall brush with alu. handle and EZ clip, with stainless steel bristle

Materials:AL+EVA+DPE+PP  
Size:47.1\*21.4\*5.3cm



**P1408**

3 sections 52"/135cm Alu Pole and Poly Bristle 10"Wall Brush

Materials:AL+PP  
Size:25\*4.5\*143cm



**P1409**

Corner Vacuum Brush With Adjustable Vacuum Ring

Materials:ABS+PP+POM  
Size:8\*15.3\*18cm



**P1410**

24"/60cm Curved Brush W/Alu Handle And Ez-Clip

Materials:AL+ABS+PP  
Size:62\*20.2\*5.5cm



**P1404**

20"Flexible Brush w/Alu handle&Extra Bristles

Materials:AL+EVA+DPE+PP  
Size:47.1\*21.4\*5.3cm



**P1405**

10"26cm Poly Bristle Wall Brush


Materials:PP+ABS  
Size:25.6\*16.3\*4.8cm



**P1424**

Vacuum Brush W/Swivel And Ez Clip

Materials:ABS+PP  
Size:51\*19\*13.5cm



**P1480**

Scrubbing Pad Brush

Materials:PP+Nonwovens  
Size:14.5\*8.3\*7.2cm



**P1481**

Finger Brush

Materials:PP  
Size:14.5\*6.2\*6cm



**P1482**

Poly Bristle Corner Brush On Ez-Clip Handle

Materials:ABS+PP+POM  
Size:28.3\*8.1\*8.1cm



**P1405/SS**

10"/26cm Stainless Steel Algae Brush (Blue)

Materials:SS 304+ABS+POM  
Size:25.6\*16.3\*4.8cm



**P1406**

10"/26cm Wall Brush With Alu. Handle And Ez Clip

Materials:AL+ABS+PP  
Size:25\*19.6\*5.8cm



**P1483**

Pumice Stone On Ez-Clip Handle

Materials:ABS+Stone  
Size:20.3\*4\*2.5cm



**P1486**

Waterline Magic Foam

Materials:foam  
Size:( 2small 7.5x3x4cm  
+2big 7.5x3x12CM /pack )



**P1488**

Cartridge Filter Brush With Connector

Materials:ABS+PP+TPR+硅胶  
Size:28\*9\*6cm



**P1487**

Oil Sponge X 6

材料Materials:foam  
尺寸Size: 7.5\*10.5cm



**P1406/SS**

10" / 26cm Wall Brush With Alu. Handle And Ez Clip, With Stainless Steel Bristle

Materials:AL+EVA+DPE+PP  
Size:47.1\*21.4\*5.3cm



**P1407**

5.5"/14cm Wall Brush With Alu. Handle And Ez Clip

Materials:AL+EVA+DPE+PP  
Size:47.1\*21.4\*5.3cm




**P2247**

Waterline Glove

Materials:Rubber+Nonwovens  
Size:36\*17\*2.5cm








# THERMOMETER



**P1501**  
Economy Thermometer W/String

Materials: ABS  
Size: 3.9\*3\*16.7cm



**P1502**  
Large Thermometer W/String

Materials: ABS  
Size: 4.7\*3.2\*24.2cm




**P1503**  
Jumbo Easy Read Thermometer

Materials: ABS  
Size: 7.8\*1\*26.4cm




**P1504**  
Deluxe Round Thermometer W/String

Materials: ABS  
Size: 1.8\*1.8\*15.5cm



**P1506**  
Deluxe Floating Thermometer W/Cord

Materials: ABS  
Size: 5.2\*4.2\*18.6cm



**P1507**  
Jumbo Buoy Thermometer W/String

Materials: ABS  
Size: 6.6\*5.8\*22.2cm



**P1511**  
Large Scale Floating Dial Thermometer

Materials: ABS  
Size: 18.5\*18.5\*31.5cm



**P1512**  
Digital Thermometer

Materials: ABS  
Size: 8.3\*7.4\*13.5cm



**P1508**  
Floating Animal Thermometer in 4 styles

Materials: PVC+ABS  
Size: 8.6\*6.5\*23.2cm



**P1517**  
Floating Animal Thermometer In 3 Styles

Materials: PVC+ABS  
Size: 24\*9cm



**P1543**  
Flamingo Thermometer

Materials: PVC+ABS  
Size: 8.2\*6.95\*25cm




**P1541**  
Large Scale Thermometer


Material: ABS+AS+EVA  
OD165\*390mm



PE / EVA HOSES



**P1666**  
Vacuum Hose Reel With Aluminum Handle  
( Available With Hoses Rolled Up To 13m, Hose Not Included Into)



**P1667**  
Vacuum Hose Reel  
( Available With Hoses Rolled Up To 13m, Hose Not Included Into)



Extruded PE Hose



EVA Spiral Wound Hose



Extruded Pe Hose 1m Per Section

Size	Extruded PE Hose		EVA Spiral Wound Hose		Extruded PE Hose	
	1-1/2" Extruded PE	1-1/4" Extruded PE	1-1/4"Spiral Wounded EVA	1-1/2"Spiral Wounded EVA	1-1/4"Extruded PE 1m/Section	1-1/2"Extruded PE 1m/Section
	Item No	Item No	Item No	Item No	Item No	Item No
20ft(6m)			P1610			
23ft(7m)	P1601	P1691				
25ft(7.5m)	P1602	P1692	P1612	P1622		
30ft(9m)	P1603	P1693	P1613	P1623		
35ft(10.5m)	P1604	P1694	P1614	P1624		
36ft(11m)	P1605	P1695		P1625		
40ft(12m)	P1606	P1696	P1616	P1626		
42ft(13m)	P1607	P1697		P1627		
45ft(13.5m)	P1608	P1698		P1628		
50ft(15m)	P1609	P1699		P1629		
15m					P1636	P1646
30m					P1637	P1647
50m					P1638	P1648
100m					P1639	P1649
Any Length Available						

TELESCOPIC POLES

TYPE E  
(Fiberglass material)

TYPE D  
(Click Clock)

TYPE C  
(Blue)

TYPE C  
(Silver)

TYPE B  
(Blue)

TYPE B  
(Silver)


TYPE A  
(Blue)

TYPE A  
(Silver)

Type		2x120cm	2x180cm	2x240cm	3x100cm	3x120cm	3x150cm	4x120cm
TYPE A (Standard Grip & Lock)	Smooth pole-0.8mm thick	P1701	P1702	P1703	P1704	P1705	P1706	
	Ribbed pole-0.8mm thick	P1711	P1712	P1713	P1714	P1715	P1716	
	Ribbed pole-1.1mm thick	P1721	P1722	P1723	P1724	P1725	P1726	
TYPE B (Oversized Deluxe Grip & Lock)	Corrugated pole-0.8mm thick	P1731	P1732	P1733				
	Corrugated pole-1.1mm thick	P1741	P1742	P1743				
TYPE C (H-Duty Grip & Lock)	Corrugated pole-1.1mm thick	P1761	P1762	P1763				
TYPE D (Click Clock)	Smooth pole-1.1mm thick							P1798
TYPE E (Fiberglass material)	2.0mm thick			P1799				



**P1790**  
Plastic pole hanger(2pcs)With screws  
Materials:PP



**P1791**  
Aluminum Pole Hanger(2pcs) With screws  
Materials:AL



CHEMICAL DISPENSER



**P1901**  
Deluxe Large Chemical  
Dispenser For 3" Tablets

Materials:PP  
Size: D 22.5\*19.5cm



**P1902**  
Chemical Dispenser  
For 1-1/2" Tablets

Materials:PP  
Size: D 12.8\*13cm



**P1903**  
Chemical Dispenser For 3"  
Tablets

Materials:PP  
Size: D 17.9\*17.5cm



**P1908**  
Chemical Dispenser For 3"  
Tablets

Materials:PP  
Size: D 18\*17.5cm



**P1533**  
Chemical Dispenser For 3"  
Tablets With Thermometer

Materials:PP  
Size: 18\*17\*19.5cm



**P1990**  
Expandable Chemical  
Dispenser For 3"Tablets

Materials:PP  
Size: D12.3\*9.3cm



**P1991**  
Expandable Chemical  
Dispenser For 1-1/2"Tablets

Materials:PP  
Size: D19.5\*14cm



**P1907**  
Chemical Dispenser For 3" Tablets  
With Replaceable Sock

Materials:PP  
Size: D19.5\*11cm



**P1994**  
Chemical Dispenser for 1.5"  
Tablets with Thermometer

Materials:PP  
Size: D11\*12cm



**P3353**  
Solar Pool Purifier Ionizer

Material: ABS  
Size: D23\*17cm



**P1910/22**  
4.2lb (1.9kg) Inline Chlorine  
Feeder Kit With Accessories

Materials:ABS+NBR



**P1913**  
9lb (4kg) Inline Chlorine  
Feeder Kit

Materials:ABS+NBR



**P1993**  
Frog chemical dispenser  
for 3" tablet

Materials:PVC/PP/ABS  
Size: D 49\*56\*33cm

TEST KITS & REPAIR KITS



**P1920**  
Test Kit PH&CL (20cc/bottle)



**P1921**  
Test Kit Refill PH&CL (20cc/bottle)



**P1922**  
5-way Test Kit (PH/CL/ Bromine/  
Alkalinity/Acid Demand)



**P1923**  
Refill Set for 5-way Test Kit



**P1924**  
3 Way Test Strips (Free  
Chlorine, Ph, Total  
Alkalinity)



**P1924-4**  
4 Way Test Strips (Free  
Chlorine, Total Bromine PH,  
Total Alkalinity)



**P1924-5**  
5 Way Test Strip (PH,  
Total Hardness, Total  
Chlorine,Free Chlorine,  
Total Alkalinity )



**P1924-6**  
6 Way Test Strips (Total  
Alkalinity, Free Chlorine,  
Total Chlorine, Total  
Hardness, Total Bromine,  
PH)



**P1925**  
Salt Test Strip



**P1926**  
Vinyl Pool Repair Kit  
(30ml)



**P1927**  
Vinyl Pool Repair Kit (60ml)



**P1928**  
Vinyl Pool Repair Patch



**P1930B**  
Test Tablets Kits ( DPD NO.  
1 & Phenol Red, 2\*10pills )






**P1931**  
Refill Tablets ( DPD NO. 1  
& Phenol Red, 2\*10pills )



# SOLAR SHOWERS

## P2602/FT

Curved PVC Solar Shower 23L  
Body: Φ11cm



Material: PVC/Stainless steel

Heating time: 3hours

Soaking time: 3hours

Height: 218cm/7.15Ft

Foot Shower: Available per model

Max Working Pressure: 3.5Bar/50Psi




## P2601

Straight PVC solar shower 20L  
Body: Φ 11cm



## P2603

2 Sections PVC solar shower 20L  
Body: Φ 11cm



## P2604

Round PVC solar shower 35L  
Body: Φ 16cm



## P2605

Round solar shower 35L PVC foot shower luxe model (With silver paint in middle)  
Body: Φ 16cm



## P2608

2 Sections round PVC solar shower 35L  
Body: Φ 16cm



## P2608A

2 Sections round PVC solar shower 35L  
Body: Φ 16cm



## P2609

Straight solar PVC shower 9L  
Body: Φ 11cm



## P2611

2sections, 20L round curved PVC solar shower with footshower



## P2615

1sections, 20L round Eco solar shower with footshower



SOLAR PANEL

Pool Solar Heating Panels,  
Solar Collectors Made

Product Description

Poolstar solar heating panels are designed for both in-ground and above-ground swimming pools; MAX-FLOW design with 2" OD headers – better water circulation – less back pressure on your pump.

Product Feature

- 1. Easy & cost-effective way to heat your pool.
- 2. Raises water temperature 11–15 degrees Celsius.
- 3. Works with most pool pumps.
- 4. Quick connect design for easy assembly.
- 5. You can buy more and hook them together for larger pools.
- 6. Universal to 32–38mm HOSE ADAPTER, D50mm PVC PIPE.


How Solar Heating Panels Works

- \* Using your pool pump, water is automatically pumped through the solar collectors.
- \* The water is then heated by the sun as it moves through the collectors.
- \* The heated water is returned back to the pool, through your return lines.
- \* You enjoy your own heated pool with no fuel costs.

Solar Heating Panels



P2650	Solar heating panel 300*76*6cm
P2651	Solar heating panel 700*76*6cm
P2652	Solar heating panel 480*76*6cm
P2653	Solar heating panel 600*76*6cm



SOLAR COVER AND REELS

P1820

Applications

Inground pools,  
by width less  
than 6m




Description

Frame: stainless steel 304 with 8pcs buckle straps  
Poles: aluminium in D. 76mm \* 240cm \* 2pcs and D. 81mm \* 240cm \* 1pc

P1821

Applications

Inground pools,  
by width less  
than 7m



Description

Frame: stainless steel 304 with 8pcs elastic straps  
Poles: aluminium in D. 95mm \* 270cm \* 2pcs and D. 100mm \* 270cm \* 1pc

P1822

Applications

Inground pools,  
by width less  
than 6m



Description

Frame: stainless steel 304 with 8pcs elastic straps  
Poles: aluminium in D. 76mm \* 240cm \* 2pcs and D. 81mm \* 240cm \* 1pc

P1823

Applications

Inground pools,  
by width less  
than 5.5m



Description

Frame: stainless steel 304 with 8pcs buckle straps  
Poles: aluminium in D. 76mm \* 215cm \* 2pcs and D. 81mm \* 215cm \* 1pc

P1824

Applications

Inground pools,  
by width less  
than 4.5m



Description

Frame: aluminum with 8pcs buckle straps  
Poles: aluminium in D. 70mm \* 180cm \* 2pcs and D. 75mm \* 180cm \* 1pc

P1825

Applications

Inground pools,  
by width less  
than 5m



Description

Frame: aluminum with 8pcs buckle straps, and universal wheels stop  
Poles: aluminium in D. 70mm \* 210cm \* 2pcs and D. 75mm \* 210cm \* 1pc



SOLAR COVER AND REELS

P1826

**Applications**  
Above ground pools,  
by width less than 4m



**Description**

Frame: aluminum with 8pcs buckle straps  
Poles: aluminium in D. 70mm \* 160cm \* 2pcs and D. 75mm \* 160cm \* 1pc

P1831

**Applications**  
Above ground pools,  
by width less than 6.15m




**Description**

Frame: plastic ABS, with 8pcs buckle straps and 2 brackets fitting to frame and ledges pools  
Poles: 7pcs octagonal poles and 1pc short pole adaptor

POOL WHITE PRODUCTS

Product Description

Skimmers for Concrete and Liner Pools. Manufactured in white ABS with top round lid and square frame. With weir flap and flow regulation plug Supplied with extra strong plastic basket.  
Overflow connection  $\varnothing 40\text{mm}$   
Max recommended flow 5m3/hr  
For optimum results it is recommended to use 1 skimmer per 25m2 of pool surface area.  
The skimmer suction can also be used for suction sweeping the pool.




P2001

Std wall skimmer w/face plate cover for aboveground & inground pools



P2001+cover

Standard wall skimmer with protection winter cover



P2002

Wide mouth wall skimmer w/face plate cover for aboveground & inground pools



P2002+cover

One piece wide mouth skimmer with protection winter cover



P2004

Wide Mouth Wall Skimmer W/Face Plate Cover For Aboveground & Inground Pools



Solar bubble cover

Item No.	Description	Cover Shape	Application
P2302	200micros cover	Round	Any sizes
P2304	400micros cover	Round	Any sizes
P2312	200micros cover	Rectangular	Any sizes
P2314	400micros cover	Rectangular	Any sizes
P2315	500micros cover	Rectangular	Any sizes



PE pool cover


Item No.	Description	Cover Shape	Application
P2355	80g/m2 cover with plastic cord	Round	Any sizes



PE winter cover

Item No.	Description	Cover Shape	Application
P2353	90g/m2 cover, with steel rope	Round	Any sizes
P2373	90g/m2 cover, with steel rope	Oval	Any sizes
P2354	180g/m2 cover, with steel rope	Round	Any sizes
P2374	180g/m2 cover, with steel rope	Oval	Any sizes
P2364	180g/m2 cover, with steel rope	Rectangular	Any sizes
P2356	200g/m2 cover, with steel rope	Round	Any sizes





# POOL WHITE PRODUCTS



**P2011**  
Complete Return Inlet

Materials:ABS+TPR



**P2012**  
Return Eyeball And Ring

Material:ABS



**P2013**  
Wide Mouth Face Plate

Materials:ABS



**P2014**  
Standard Face Plate

Materials:ABS



**P2024**  
Double Layer Wide Mouth

Materials:NBR



**P2025**  
Ball Set Bush

Materials:ABS




**P2026**  
Octagonal Nut

Materials:ABS



**P2027**  
Eyeball Base

Materials:ABS



**P2015**  
Double Layer Standard Gasket

Materials:TPR



**P2016**  
Return Gaskets (2pcs)

Materials:TPR



**P2017**  
1-1/4" And 1-1/2" Hose Connector  
With 1-1/2" Npt Thread

Materials:ABS



**P2018**  
Vacuum Plate With Hose Adaptor

Materials:ABS



**P2028**  
Protective Wall Support For Skimmer

Materials:TPR



**P2029**  
Wintering Skimmer Protection For  
Standard Mouth Skimmer

Materials:ABS+TPR+PE+SS 304



**P2030**  
Winter Covering For Wide Mouth Skimmer

Materials:ABS+TPS



**P2019**  
10 Screws For Standard  
Skimmer

Materials:SS304



**P2020**  
18 Screws For Wide  
Mouth Skimmer

Materials:SS304



**P2021**  
Skimmer Cover

Materials:ABS



**P2022**  
Basket For Skimmer

Materials:ABS



**P2023**  
Spring Loaded Skimmer  
Weir W/Foam

Materials:ABS+PE



**P2227**  
Standard Filter Socks

Materials:Nylon  
Size: 12\*18cm



**P2227L**  
Bigger Filter Socks

Materials:Nylon  
Size: 14\*20cm




**P2268**  
12pcs bypass set

3 Way Valve: ABS  
Clamp: SS 202  
Connector: ABS  
T valve: ABS  
Tape: PTFE

Size: D. 40mm  
Size: 57\*50.5\*12mm  
Size: D4.85\*10.25  
Size: 96.7\*151.3mm  
Size: 12\*1000mm





# WATER PUMP



## WATER PUMP

Quiet, efficient and self priming corrosion proof polymer construction for high durability transparent lid allows for quick inspection of strainer

Item NO.	Power	Voltage/Frequence	Flowrate	Height
P2111	370W/0.5HP	110–120V / 60hz or 220V– 240V / 50hz	13.2m³ /h	13m
P2112	550W/0.75HP		14.4m³ /h	14m
P2113	750W/1.0HP		19.2m³ /h	17m
P2114	1200W/1.5HP		27m³ /h	17m
P2115	1500W/2.0HP		33.6m³ /h	17m



P2101

Pool Filter Pump (1000gallon)



P2102

Pool Filter Pump (600gallon)



P2103

Pool Filter Pump (300gallon)



P2101-1

Replacement Filter For P2101



P2102-1

Replacement Filter For P2102



P2103-1

Replacement Filter For P2103



P2270

Pool Filter Ball  
Diameter Around 4.5-5cm/  
Pc,Around 5g/Pc




P2271

Pool filter ball with silver  
nanoparticles  
Diameter around 4.5-5cm/  
pc,around 5g/pc





# SAND FILTER



## P2124

sand filter pump



Voltage	220~240V/50Hz	110v~120v/ 60hz
Power (W)	180	180
Current (A)	1.0	1.1
Internal pressure (bar)	0.10	0.10
Pump range (M)	5	7
Pump flow (m³/h)	11	9
Matching pump (HP)	0.25	0.25
Tank Dia. (mm )	250	250
Sand cylinder flow (m³/h)	5.9	5
Sand quantity (Kg)	10	10
Sand cylinder volume	14L	14L

Voltage	220~240V/50Hz	110~120V/60Hz
Power (W)	250	250
Current (A)	1.33	2.89
Internal pressure (bar)	0.1	0.1
Pump range (M)	8	8
Pump flow (m³/h)	10	10
Matching pump (HP)	0.35	0.35
Tank Dia. (mm )	250	250
Sand cylinder flow (m³/h)	5.6	5.6
Sand quantity (Kg)	10	10
Sand cylinder volume	14L	14L



## P2127

Voltage	220~240V /50Hz	220~240V /50Hz	220~240V /50Hz	220~240V /50Hz	220~240V /50Hz	110~120V /60Hz
Power (W)	180	250	370	550	750	250
Current (A)	1.1	1.3	1.9	2.2	2.6	2.7
Internal pressure (bar)	0.10	0.13	0.15	0.20	0.26	0.13
Pump range (M)	7	8	11	13	14	8
Pump flow (m³/h)	9	10	12	18	20	10
Matching pump (HP)	0.25	0.35	0.5	0.75	1	0.35
Tank Dia. (mm )	330	330	330	330	330	330
Sand cylinder flow (m³/h)	4.45	5.4	6.5	7.2	7.5	5.6
Sand quantity (Kg)	20	20	20	20	20	20
Sand cylinder volume	24L	24L	24L	24L	24L	24L



## P2129


Voltage	220~240V /50Hz	220~240V /50Hz	220~240V /50Hz	220~240V /50Hz	110~120V /60Hz
Power (W)	250	370	550	750	250
Current (A)	1.35	2.0	2.35	3.0	2.8
Internal pressure (bar)	0.20	0.25	0.30	0.35	0.20
Pump range (M)	8	11	13	14	8
Pump flow (m³/h)	10	12	18	20	10
Matching pump (HP)	0.35	0.5	0.75	1	0.35
Tank Dia. (mm )	400	400	400	400	400
Sand cylinder flow (m³/h)	6.6	7.9	8.9	9.6	6.6
Sand quantity (Kg)	30	30	30	30	30
Sand cylinder volume	38L	38L	38L	38L	38L



## P2130

Voltage	220~240V /50Hz	220~240V /50Hz	220~240V /50Hz
Power (W)	550	750	1100
Current (A)	2.4	3.0	3.85
Internal pressure (bar)	0.40	0.45	0.55
Pump range (M)	13	14	16
Pump flow (m³/h)	18	20	21.5
Matching pump (HP)	0.75	1	1.5
Tank Dia. (mm )	500	0.2	0.2
Sand cylinder flow (m³/h)	9.2	9.85	10.6
Sand quantity (Kg)	65	65	65
Sand cylinder volume	71L	71L	71L





P1971



P1973




Type	P1971/White	P1971/RGB	P1971/RGB/RM	P1973	P1973/White	P1973/RGB/RM
Description	Pool Light, 198 LEDs, 12v, 12w, 5000mcd	Pool Light, 198 LEDs, 2v, 12w, 3000~4000mcd	Pool Light, 198 LEDs, 12v, 12w, 3000~4000mcd with remote control	Replacement Par 56, 12v 12w, 252 Led, 15changes	Replacement Par 56, 12v, 12w 252led, White	Replacement Par 56, 12v, 12w, 252led, RGB remote control
Material	ABS+PC cover	ABS+PC cover	ABS+PC cover	ABS+PC cover	ABS+PC cover	ABS+PC cover
Size	295*170*65mm	295*170*65mm	295*170*65mm	177*105mm	177*105mm	177*105mm
Color	White	RGB(14 kinds of color changing patterns)	RGB(16 kinds of color changing patterns)	Single-White, Red, Green, Blue, Yellow	White	White/RGB
Wattage (W)	12 ± 1W	12 ± 1W	12 ± 1W	13 ± 1 W	17 ± 1 W	13 ± 1 W
Other		RGB control method: inner control	RGB control method: remote control	With 15 working modes		With remote control

P1962



Item No	P1962
Description	Floating Light With Solar Panel
Material	PC+ABS
Size	D110mm
Color	Nature
Wattage (W)	0.06W

P1963




Item No	P1963
Description	Loating Light With Solar Panel
Material	PS
Size	D190*62mm
Color	White/RGB
Wattage (W)	0.06W





# POOL LADDER

## P1840/1841 For In-Ground Pool



Item No		Tube Dia	STEP	B
With Plastic step	With S.S step			
P1840-2/42	P1841-2/42	Φ 42	2	1320
P1840-3/42	P1841-3/42	Φ 42	3	1570
P1840-4/42	P1841-4/42	Φ 42	4	1820
	P1841-2/48	Φ 48	2	1320
	P1841-3/48	Φ 48	3	1570
	P1841-4/48	Φ 48	4	1820




**P1842-1**  
2 Steps As Standard ( For Pools  
Height Less Than 76cm / 30" )

Materials: Fe+PP+ABS



## P1843/1844 For Above Ground Pool



Item No		Tube Dia	STEP	B
With Plastic step	With S.S step			
P1843-2/42	P1844-2/42	Φ 42	2	1070
P1843-3/42	P1844-3/42	Φ 42	3	1302
P1843-4/42	P1844-4/42	Φ 42	4	1570



**P1842-2**  
3 Steps As Standard ( For Pools  
Height 91.5cm-105cm / 36"-42" )

Materials: Fe+PP+ABS



**P1842-2/PT**  
3 Steps With Platform As Standard(For  
Pools Height 91.5cm-105cm / 36"-42" )

Materials:Fe+PP+ABS



**P1842-3/PT**  
4 Steps With Platform As Standard ( For  
Pools Height 122-132cm / 48"-52" )

Materials:Fe+PP+ABS





# Pool Winter Products

# PACKING DEFINITIONS



**P1980**

40cm Winter Floater

Materials:PE+Fine sand  
Size:39.5\*19.62\*5cm



**P1981**

Wintering Gizmo Bottles Threaded 1.5"

Materials:PE+Fine sand  
Size: 8\*8\*36.5cm



**P1989**

50cm Winter Floater

Materials:PE+Fine sand  
Size:50\*19.6\*5.3cm



**P3216**

Winter Pillow

Materials:PVC



**P3241**

Water weight: 198\*18cm, when  
flated 192\*13\*7cm, thick: 0.5mm,  
with water valve, black color



**P3243**

Corner water weight: 60\*60cm,  
when flated  
55\*55\*5cm, thick: 0.5mm, with  
water valve,black color



**P1988-1"**  
1" Wintering Plug

Materials:NR+SS304+POM  
Size: 1" (Ø25mm), H: 22/43mm



**P1988-1.25"**  
1.25" Wintering Plug

Materials:NR+SS304+POM  
Size: 1.25" (Ø32mm), H: 24/45mm



**P1988-2.5"**  
2.5" Wintering Plug

Materials:NR+SS304+POM  
Size: 2.5" (Ø63mm), H: 26.5/47.5mm



**P1982**  
1.5" Wintering Plug

Materials:NR+SS304+POM  
Size: 1.25-1.5", H: 25.8/49mm



**P1983**  
2" Wintering Plug

Materials:NR+SS304+POM  
Size: 1.5-2.0", H: 26.6/47.8mm



**P1986**

16" Winter Expansion Absorber

Materials:PE  
Size: D8.2, L: 43.5



**P1986A**

16" Winter Gizmo With Plug

Materials:PE  
Size:D8, L: 42.2



**P1988-2.5"**

9" Winter Expansion Absorber

Materials:PE  
Size: D8.1, L: 25



**BU**

BU: Bulk



**CS**

CS: Clamshell



**CB**

CB: Card board wrap



**BL**

BL: Blister Card



**PBH**

PBH: Hanging Card



**SW**

SW: Shrink Wrap



**CBX**

CBX: color box



**WBX**

WBX: White Box



**DIS&PDQ**

DIS: Display





# POOL LEISURE



**P3221**  
Heavy Duty Flamingo Cup  
Floater 33cm



**P3262**  
Micky swimming goggles for kids  
Material: Silicone , PC  
Size: Uniform size



**P3263**  
Rainbow swimming goggles for kids  
Material: Silicone , PC  
Size: Uniform size



**P3264/W**  
Anti fog swimming goggles for adults  
Material: Silicone , PC  
Size: Uniform size



**P3231**  
Swimming cap in PU for kids  
Material: PU  
Size: 23\*15CM



**P3232**  
Swimming cap in silicone for kids  
Material: Silicon rubber  
Size: 21\*19CM



**P3265**  
Diving goggles for adults  
Material: PC+Tempered Glass+RTV  
Size: 14.8\*7.5CM



**P3266**  
Diving goggles with a breath tube for adults  
Material: PC+Tempered Glass+RTV  
Size: 16.5\*9CM



**P3267**  
Diving goggles with a breath tube for adults  
Material: PC+Tempered Glass+RTV  
Size: 16.5\*9CM



**P3233**  
Swimming hand paddles  
Material: PC, RTV  
Size: 19.5\*13.6CM



**P3234**  
Swimming hand paddles  
Material: RTV  
Size: 20CM\*19CM, 15CM\*15CM



**P3236**  
Swimming fins in mermaid for kids  
Material: PP, PC  
Size: 40\*44CM



**P3235**  
Swimming fins for adults  
Material: Nylon, iron

Unit: centimeter (cm)

Size	Fin length	Fin width
29-30	25	12
31-1.5	25.8	12.2
32-33.5	27.5	13
34-35.5	29	13.2
36-37	31	14.6
37.5-38.5	32.5	15.5
39-41	34.5	16.2
42-43	35.5	17



**P3252/L**  
Diving goggles for adult



**P3252/S**  
Diving goggles for kids



**P3253**  
Diving goggles for kids




**P3254**  
Diving goggles for kids



**P3267**  
Diving goggles for kids





This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins or other markings on the paper.





NOTE



Lined writing area on page 43.

Lined writing area on page 44.